

THE UNIVERS OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Pioneer Hi-Bred International, Inc.

THETCHS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN CING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY TION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEO.)

CORN, FIELD

'PH1EM'

In Destimonn Museus, I have hereunto set my hand and caused the seal of the Plant Bariety Frotestion Office to be affixed at the City of Washington, D.C. this thirtieth day of January, in the year two thousand two.

Uest:

Palm Julan

Commissioner Plant Variety Protection Office Agricultural Marketing Service Secretary of

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY DIVISION - PLANT VARIETY PROTECTION OFFICE				The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.			
APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE (Instructions and information collection burden statement on reverse)				Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidentia until certificate is issued (7 U.S.C. 2426).			
1. NAME OF OWNER			2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER			VARIETY NAME	
Pioneer Hi-Bred Intern	ational,	Inc.	EXI ENHENTAL NUMBER			PH1EM	
4. ADDRESS (Street and No. or RFD No., City, State and I			5. TELE	PHONE (include area code)		FOR OFFICIAL USE ONLY	
7301 NW 62 nd Avenue				m /omo 405d	PV	/PO NUMBER	
P.O. Box 85		51	515/270-4051				
Johnston, IA 50131-	6. FAX (Include area code) 9 9 0 0 4			9900421			
				5/253-2125	FII	LING DATE	
7. IF THE OWNERNAMED IS NOT A "PERSON", GIVE I		DRPORATED, GIVE		OF INCORPORATON	·"	LING DATE	
OF ORGANIZATION (corporation, partnership, association, etc.)	SIAIE	OF INCORPORATION)	Ma	y 6, 1926		9/10/1999	
Corporation	IOW	A	110	, 0, 1510		1/10////	
10. NAME AND ADDRESS OF OWNER REPRESENTATIVE	VE(S) TO SERVE IN THIS	APPLICATION (FIRST P	ERSON LIST	ED WILL RECEIVE ALL PAPERS)		EILING & EVANINATION	
					F	FILING & EXAMINATION FEES:	
Steven R. Anderson					S	: 2450	
Research and Product	: Developm	ent			R	DATE 0-18-99	
P.O. Box 85					E	1 20 1	
Johnston, IA 50131-0	085				Ĕ	CERTIFICATION FEE:	
					v	:320,00	
					E D	DATE 1-16-02	
11. TELEPHONE (Include area code) 12. FAX (Inc.	lude area code)	13. E_MAIL			14. CROP	KIND NAME (Common name)	
515/270-4051 515/	253-2125	ANDER	RSONS	@PHIBRED.COM			
15 GENUS AND SPECIES NAME OF CROP 16. FAMILY NAM			(Rotanical)		17. IS T	HE VARIETY A FIRST GENERATION	
Zea Mays			(Dotarnoar)	JRM		RID?	
Gramin				3/21/01		Yes 🗌 No	
18. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow Instructions on reverse)				DOES THE OWNER SPECIFY THAT S CERTIFIED SEED? See Section 83(a		VARIETY BE SOLD AS A CLASS OF	
a. Exhibit A. Origin and Breeding History of the	e Variety				_	_	
b. Exhibit B. Statement of Distinctness				YES (If "yes", answer item and 21 below)	s 20 ⊠	NO (If "no", go to item 22)	
c. Exhibit C. Objective Description of the Vari			20.	DOES THE OWNER SPECIFY THAT S	SEED OF THIS	VARIETY BE LIMITED AS TO	
d. Exhibit D. Additional Description of the Var				NUMBER OF GENERATIONS?			
e. Exhibit E. Statement of the Basis of the Ow f. Voucher Sample (2500 viable untreated see	•	to de contesta o	l	YES NO			
f. Voucher Sample (2500 viable untreated see verification that tissue culture will be depos repository)	ited and maintained in a	an approved public	21.	IF "YES" TO ITEM 20, WHICH CLASS	ES OF PRODU	JCTION BEYOND BREEDER SEED?	
g. Filing and Examination Fee (\$2,450), made p	ayable to "Treasurer of	the United States" (Mail	to	FOUNDATION REGIS	TERED _	CERTIFIED	

22. HAS THE VARIETY (INCLUDING ANY HARVESTED MAY VARIETY BEEN SOLD, DISPOSED OF, TRANSFERREI				IS THE VARIETY OR ANY COMPONE INTELLECTUAL PROPERTY RIGHT (I			
🖾 YES 🔲 NO				YES NO			
IF YES, YOU MUST PROVIDE THE DATE OF FIRST SA			IF YES, PLEASE GIVE COUNTRY, DATE OF FILING OR ISSUANCE AND ASSIGNED				
EACH COUNTRY AND THE CIRCUMSTANCES. (Please use space indicated on reverse)				REFERENCE NUMBER. (Please use	space Indicate	ed on reverse.)	
United States Nov. 1, 1998							
24. The owner(s) declare that a viable sample of basic see for a tuber propagated variety a tissue culture will be o	d of the variety will be fi	urnished with application	n and will be i	eplenished upon request in accordang	ce with such r	egulations as may be applicable, or	
The undersigned owner(s) is(are) the owner of this sex					ıniform, and s	table as required in	
Section 42, and is entitled to protection under the prov	isions of Section 42 of t	he Plant Variety Protecti	on Act.				
Owner(s) is(are) informed that false representation herein can jeopardize protection and results in penal SIGNATURE OF OWNER				E OF OWNER)			
5.5.552 5. 5111tari			1 1	at Anderso	n		
NAME (Please print or type)			NAME (Ple	ase print or type)		A**	
, , , , , , , , , , , , , , , , , , , ,				_			
CAPACITY OR TITLE	DATE		CAPACITY	en R. Anderson		DATE	
W. W. C.	JAIL			_		-	
			1	or Research		September 9, 1999	
	ı		Associate			i .	

S&T-470 (06-98DESIGNED BY THE Plant Variety Protection Office with WordPerfect 6.0a. Replaces STD-470 (03-96) which is obsolete. (See reverse for instructions and information collection burden statement)

INSTRUCTIONS

GENERAL: To be effectively filed with the Plant Variety protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed Exhibits A,B,C,E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety sy Irsdy 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in a approved public repository; (4) check drawn on a U.S. bank for \$2,450 (\$300 filing fee and \$2,150 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$300 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

> Plant Variety Protection Office Telephone: (301)504-5518 FAX: (301)504-5291

Homepage: http://www.ams.usda.gov/science/pvp.htm

ITEM

- 18a. Give: (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
 - (2) the details of subsequent stages of selection and multiplication;
 - (3) evidence of uniformity and stability; and
 - the type and frequency of variants during reproduction and multiplication and state how these variants may be identified.
- Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other 18b. varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - identify these varieties and state all differences objectively;
 - attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and (2)
 - submit, if helpful, seed and plant specimens of photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant disease resistance, etc.
- 18e. Section 52(5) of the Act required applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant may NOT reverse 19. this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, applicant may change the choice. (See Regulations and Rules of Practice, Section 7.103).
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23 See Section 5.5 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)
- 23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).

NOTES; It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant should check the variety names proposed by contacting: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center--East, Beltsville, MD 20705. Telephone: (301) 504-8089.

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instruction, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate of any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Officer, OIRM, AG Box 7630, Jamie L. Whitten Building, Washington, D.C. 20250. When replying, refer to OMB No. 0581-0055 and form number in your letter. Under the PRA of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-2791. To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (202) 720-1712 (TDD). USDA is a carried program of the secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (202) 730-7450 (202)

(voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

Exhibit A. Origin and Breeding History

Pedigree: PHHB4/PHHB9)X225X

Pioneer Line PH1EM, Zea mays L., a dent corn inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross hybrid PHHB4 (PVP Certificate No. 9400093) X PHHB9 (PVP Certificate No. 9300108) using the pedigree method of plant breeding. Varieties PHHB4 and PHHB9 are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Selfing and selection were practiced within the segregating population from the above hybrid for 5 generations using pedigree selection. During line development, crosses were made to inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Johnston, Iowa as well as other Pioneer research locations. After initial testing, additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand-pollinated with observations again made for uniformity.

Variety PH1EM has shown uniformity and stability for all traits as described in Exhibit C - "Objective Description of Variety". It has been self-pollinated and ear-rowed 4 generations with careful attention paid to selection criteria and uniformity of plant type to assure genetic homozygousity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity and stability for a minimum of 3 generations during the final stages of inbred development and seed multiplication. Very high standards for genetic purity have been established morphologically using field observations and electrophoretically using sound lab molecular marker methodology.

No variant traits have been observed or are expected in PH1EM.

The criteria used in the selection of PH1EM were yield, both per se and in hybrid combinations; late season plant health, grain drydown, grain quality, stalk lodging resistance, root lodging resistance, Gray Leaf Spot resistance and kernel size, especially important in production. Other selection criteria include: ability to germinate in adverse conditions; number of tillers, especially important in production because having numerous tillers increases hybrid production costs spent on detasseling; disease and insect resistance; pollen yield and tassel size.

Exhibit A: Developmental history for PH1EM

Season/Year Pedigree Grown	Inbreeding Level of Pedigree Grown
Summer/1991	F0
Winter/1991	F1
Summer/992	F2
Summer/1993	F3
Summer/1994	F4
Winter/1994	F5
Summer/1995	F6 Bulk Increase for Transfer to SM

^{*}PH1EM was selfed and ear-rowed from F3 through F6 generation.

#Uniformity and stability were established from F4 through F6 generation and beyond when seed supplies were increased

Exhibit B: Novelty Statement

PH1EM is most similar to the Pioneer Hi-Bred International, Inc. proprietary inbred line PHHB9 (PVP Certificate No. 9300108). The data in Table 1 are from paired comparisons at multiple locations grown primarily in the adapted growing area of PH1EM. The traits collectively show measurable differences between the two varieties.

Variety PH1EM has a lower late season plant health stay green score (STAGRN) (3.5, 3.7 vs 5..3, 5.2) than variety PHHB9 (Table 1).

Variety PH1EM reaches 50% pollen shed (GDUSHD) sooner (1414, 1457 GDU's vs 1463, 1500 GDU's) than variety PHHB9 (Table 1).

Variety PH1EM reaches 50% silking (GDUSLK) sooner (1417, 1458 GDU's vs 1480, 1514 GDU's) than variety PHHB9 (Table 1).

Variety PH1EM has a lower Gray Leaf Spot resistance score (GLFSPT) (3.7, 4.1 vs 4.6, 5.0) than variety PHHB9 (Table 1).

Variety PH1EM has a lower Common Rust resistance score (COMRST) (4.2, 3.0 vs 5.3, 5.0) than variety PHHB9 (Table 1).



Variety PH1EM has a brace root anthocyanin score of 1 whereas PHHB9 has a brace root anthocyanin score of 3.



A t-test was used to compare differences between means and the appropriate parameters have been included.

Exhibit B Novelty Statement Tables

Table 1. These data indicate differences between varieties PH1EM and PHHB9. Data are from Johnston and Ankeny, lowa in 1997 and 1998. A t-test was used to compare differences between means.

Prob_(2- tail)_Poole d	0.050	<0.001	0.009	0.091	0.001	0.025	0.031	0.098	0.083	0.137
/alue_P t	-2.27		-2.70	-1.71	-3.32	-2.29	-2.36	-1.72	-1.86	-1.56
DF_Po	တ	2	20	71	92	71	16	24	15	17
StdErro r-2	i	0.000			12.131			0.424		
StdErro r-1		0.000								
StdDevía StdErro DF_Po tion-2 r-1 r-2 oled	0.516	0.000	71.963	109.162	75.759	104.940	0.726	1.528	2.179	2.044
Vean_D StdDevia s		0.000		•			ì		1.852	2.236
		-2.0							-1.8	-1.5
Mean-2		5.0	Ť	•	1480.3	`	4.6		5.3	
ean-1	4.2	3.0	1414.2	1457.3	1416.7	1458.1	3.7	4.1	3.5	3.7
Count-2 M	9	2	36	36	39	36	6	13	6	10
Count-1	5	2	36	37	39	37	6	13	8	6
Variety-2	PHHB9									
Trait Year Variety: 1 Variety-2 Count-1 Cou	97 PH1EM	98 PH1EM								
Trail	COMRST	COMRST	GDUSHD	GDUSHD	GDUSLK	GDUSLK	GLFSPT	GLFSPT	STAGRN	STAGRN

Exhibit B. Novelty Statement Tables

Table 1. These data indicate differences between varieties PH1EM and PHHB9. Data are from multiple locations and years grown primarily in the adapted growing area.

Variety 1 = PH1EM Variety 2 = PHHB9

Variety 1 PH1EM Variety 2 PHHB9 STA GDU VAR GRN SHD SLK YEAR # ABS ABS 1995 1 1369 1414 2 1426 LOCS 7	50.0	5.0	
STA GDU GDU VAR GRN SHD SLK YEAR # ABS ABS ABS 1995 1 1369 1414 2 1426 1450	HT ABS CM 59.9 50.0 7 1 0	SPT ABS 4.0 5.0	RST ABS 3.0 5.0
VAR GRN SHD SLK YEAR # ABS ABS ABS 1995 1 1369 1414 2 1426 1450	HT ABS CM 59.9 50.0 7 1 0	SPT ABS 4.0 5.0	RST ABS 3.0 5.0
VAR GRN SHD SLK YEAR # ABS ABS ABS 1995 1 1369 1414 2 1426 1450	HT ABS CM 59.9 50.0 7 1 0	SPT ABS 4.0 5.0	RST ABS 3.0 5.0
YEAR # ABS ABS ABS 1995 1 1369 1414 2 1426 1450	ABS CM 59.9 50.0 7 1 0	ABS 4.0 5.0	ABS 3.0 5.0
1995 1 1369 1414 2 1426 1450	CM 59.9 50.0 7 1 0	4.0 5.0	3.0 5.0
1995 1 1369 1414 2 1426 1450	59.9 50.0 7 1 0	4.0 5.0 1	3.0 5.0 1
2 1426 1450	50.0	5.0	5.0
2 1426 1450	50.0	5.0	5.0
	0	1	1
	0		
PROB .000# .023+)		5.5
		-	5.5
1996 1 3.0 1422 1419			, 5.5
2 7.0 1453 1444	+)		7.0
LOCS 1 6 7	7		2
PROB 0.118 0.1			0.205
1997 1 3.3 1412 1416	81.0	3.8	
2 4.7 1464 1481			5.3
LOCS 7 34 35	12	5	4
PROB .008# *.000# .000#	.015+	.009#	.063*
1998 1 3.7 1435 1441	85.3	4.1	3.0
2 5.4 1482 1498			
LOCS 9 32 32			
PROB .012+ *.000# .000#	.001#	.023+	.000#
1000			
TOTAL 1 3.5 1419 1426 SUM	82.6	4.0	4.0
2 5.2 1467 1482	72.6	5.1	5.6
LOCS 17 79 81			9
DIFF 1.8 49 56			1.6
PROB .000# # .000# .000#	.000#	.001#	.000#

United States Department of Agriculture, Agricultural Marketing Service Science Division, Plant Variety Protection Office National Agricultural Library Building, Room 500 Beltsville, MD 20705

Objective Description of Variety Corn (Zea mays L.)

Name of Applicant (s) Variety Seed Source Variety Name or Temporary Designation							
Pioneer	Hi-Bred Int	ernational, Inc.	1		PHIGG		
					PHIEM		
Address (S	Street & No., or R	FD No., City, State, Zip Code and	Country	FOR OFFICIAL USE			
7301 NV	W 62 nd Avenu	ie, P.O. Box 85,	name as a	9900421			
Johnston, Iowa 50131-0085			PVP0 Number	3300461			
Place the appropriate number that describes the varietal characters typical of this inbred variety in the spaces below. Right justify whole numbers by adding Leading zeroes if necessary. Completeness should be striven for to establish an adequate variety description. Traits designated by an '*' are considered Necessary for an adequate variety description and must be completed. COLOR CHOICES (Use in conjunction with Munsell color code to describe all color choices: describe #25 and #26 in Comments section):							
01=Light (Green	06=Pale Yellow	11=Pink	16=Pale Purple	21=Buff		
02=Mediu	m Green	07=Yellow	12=Light Red	17=Purple	22=Tan		
03=Dark C	Green	08=Yellow Orange	13=Cherry Red	18=Colorless	23=Brown		
04=Very D	Oark Green	09=Salmon	14=Red	19=White	24=Bronze		
05=Green-Yellow 10=Pink-Orange		15=Red & White	20=White Capped	25=Variegated (Describe) 26=Other (Describe)			
STANDARD INBRED CHOICES							
(Use the m	ost similar (in ba	ckground and maturity) of these to	make comparisons based on	grow-out trial data):			
Yellow De	ent Families:		Yellow Dent (Unrelated):	Sweet Co	orn:		
Family	Members		Co109, ND246,	C13, Io	wa5125, P39, 2132		
B14	CM105, A632, B64, B68 Oh7, T232,						
		W117, W153R,	Popcorn	:			
1		W18BN	SG1533	3, 4722, HP301, HP7211			
C103	Mo17, Va102,	Va35, A682					
Oh43	A619, MS71, H	•	White Dent:	Pipecorn	:		
WF9 W64A, A554, A654, Pa91		C166, H105, Ky228	Mo15W, Mo16W, Mo24W				

Groups on Lynx/Osborn/Grunst/98-99PVP

2 1=Northwest 2=Northcentral 3=Northeast 4=Southeast 5=Southcentral 6=Southwest 7=Other Central 3. MATURITY (In Region of Best Adaptability; show Heat Unit formula in 'Comments' section) DAYS HEAT UNITS 073 1.395.4 From emergence to 50% of plants in silk 074 1.4 075 1.395.4 From emergence to 50% of plants in pollen 076 1.4 077 1.395.4 From 10% to 90% pollen shed 077 1.473.2 From 50% silk to optimum edible quality 072 1.473.2 From 50% silk to harvest at 25% moisture 4. PLANT: Standard Sample Deviation Size 084.2 cm Ear Height (to tassel tip) 095 229.8 0 084.2 cm Ear Height (to base of top ear node) 015.9 cm Length of Top Ear Internode 011.14 05 016.7 0 0.0 Average Number of Tillers 00.0 2 05 00.0 0 1.2 Average Number of Ears per Stalk 1 Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=Moderate 4=Dark 5. LEAF: Standard Sample Deviation Size 09.0 0.5 0.5 0.0 0.5 0.5 0.0 0.5 0.5 0.0 0.5 0.5 0.0 0.5 0.5 0.0 0.5 0.5 0.0 0.5 0.5 0.0 0.5 0.5 0.0 0.5 0.5 0.5	Seed Source 50473
2 1=Northwest 2=Northcentral 3=Northeast 4=Southeast 5=Southcentral 6=Southwest 7=Other	50473 AT UNITS 30.8 27.6 71.0 75.8 Indard Sample intion Siz 8.29 05 9.19 05 1.30 05 0.01 05
3. MATURITY (In Region of Best Adaptability; show Heat Unit formula in 'Comments' section) DAYS HEAT UNITS 073 1.395.4 From emergence to 50% of plants in silk 073 1.394.6 From emergence to 50% of plants in pollen 003 0.074.4 From 10% to 90% pollen shed From 50% silk to optimum edible quality 072 1.473.2 From 50% silk to harvest at 25% moisture 4. PLANT: Standard Sample Deviation Size 243.0 cm Plant Height (to tassel tip) 084.2 cm Ear Height (to base of top ear node) 015.9 cm Length of Top Ear Internode 011.14 05 016.7 0 0.0 Average Number of Tillers 0.0 Average Number of Ears per Stalk 1 Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=Moderate 4=Dark 5. LEAF: Standard Sample Deviation Size 09.02 05 0.0 0.0 1.2 Average Number of Ears per Stalk 00.04 0.05 1.0 0.0 1.2 Average Number of Ears per Stalk 00.05 0.0 0.05 0.0 0.05 1.2 Average Number of Ears per Stalk 00.05 0.0 0.05 0.0 0.05 1.2 Average Number of Ears per Stalk 00.05 0.0 0.05 0.0 0.05 1.2 Average Number of Ears per Stalk 00.05 0.0 0.05 1.2 Average Number of Ears per Stalk 00.05 0.0 0.05 1.2 Average Number of Ears per Stalk 00.05 0.0 0.05 1.2 Average Number of Ears per Stalk 00.05 0.0 0.05 1.2 Average Number of Ears per Stalk 00.05 0.0 0.05 1.2 Average Number of Ears per Stalk 00.05 0.0 0.05 1.2 Average Number of Ears per Stalk 00.05 0.0 0.05 1.0 0.	AT UNITS 30.8 27.6 75.8 Indard Sample intion Siz 8.29 05 9.19 05 1.30 05 0.01 05
DAYS HEAT UNITS O74 1.4 O74 1.4 O74 1.4 O74 1.4 O74 1.4 DAYS HEAT UNITS O74 1.4 O74 1.4 O74 1.4 O74 1.4 O203 0.9 O0.2 O2.4 Leas August 1.4 Standard Sample Deviation Size Deviation S	30.8 27.6 71.0 75.8 Indard Sample iation Siz 8.29 05 9.19 05 1.30 05 0.01 05
073 1,395.4 From emergence to 50% of plants in silk 074 1.4 073 1,394.6 From emergence to 50% of plants in pollen 074 1.4 003 0,074.4 From 10% to 90% pollen shed 003 0.0 From 50% silk to optimum edible quality 074 1.4 072 1,473.2 From 50% silk to harvest at 25% moisture Standard Sample Deviation Size 00 Deviation Size Deviation Size 084.2 cm Ear Height (to base of top ear node) 11.32 05 096.0 0 015.9 cm Length of Top Ear Internode 01.14 05 016.7 0 0.0 Average Number of Tillers 00.02 05 0.0 0 1.2 Average Number of Ears per Stalk 00.45 05 1.0 0 1.2 Average Number of Ears Per Stalk 00.45 05 1.0 0 08.1 cm Width of Ear Node Leaf 00.63 05 05 0 0 </td <td>30.8 27.6 71.0 75.8 Indard Sample iation Siz 8.29 05 9.19 05 1.30 05 0.01 05</td>	30.8 27.6 71.0 75.8 Indard Sample iation Siz 8.29 05 9.19 05 1.30 05 0.01 05
1394.6 From emergence to 50% of plants in pollen 074 14 14 15 074 14 14 15 075 14 15 075 15 05 075 15 05 075 05 05 05 05 05	27.6 171.0 75.8 Indard Sample iation Sizes 8.29 05 9.19 05 1.30 05 0.01 05
003 0,074.4 From 10% to 90% pollen shed From 50% silk to optimum edible quality 003 0,0 972 1,473.2 From 50% silk to harvest at 25% moisture 074 1,2 4. PLANT: Standard Deviation Size Deviation Deviation Size Dev	771.0 75.8 ndard Sampliation Siz 8.29 05 9.19 05 1.30 05 0.01 05
From 50% silk to optimum edible quality 072	75.8 ndard Sampliation Siz 8.29 05 9.19 05 1.30 05 0.01 05
072 1.473.2 From 50% silk to harvest at 25% moisture O74 1.4 4. PLANT: Standard Deviation Size Standard Deviation Size Deviation Size Deviation Deviation Size Deviation Deviation Size Deviation Deviation Deviation Size Deviation Deviation Deviation Size 0.0	ndard Samp iation Siz 8.29 05 9.19 05 1.30 05 0.01 05
4. PLANT: Standard Deviation Size Deviation Deviation Size Standard Deviation Size Deviation Size Standard Size Stan	ndard Samp iation Siz 8.29 05 9.19 05 1.30 05 0.01 05
Deviation Size Deviation	iation Siz <u>8.29 05</u> <u>9.19 05</u> <u>1.30 05</u> <u>0.01 05</u>
243.0 cm Plant Height (to tassel tip) 20.09 (0.09) 0.5 (0.09) 229.8 (0.09) 0.0	8.29 05 9.19 05 1.30 05 0.01 05
084.2 cm Ear Height (to base of top ear node) 11.32 05 096.0 0 015.9 cm Length of Top Ear Internode 01.14 05 016.7 0 0.0 Average Number of Tillers 00.02 05 0.0 0 1.2 Average Number of Ears per Stalk 00.45 05 1.0 0 1 Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=Moderate 4=Dark 4 5 Standard Sample Deviation Size Deviation	9.19 05 1.30 05 0.01 05
015.9 cm Length of Top Ear Internode 01.14 05 0.0 0.02 0.02 0.05 0.0 0.00 0.002 0.05 0.0 0.0 0.00 0.0	1.30 <u>05</u> 0.01 <u>05</u>
0.0 Average Number of Tillers 00.02 05 0.0 0 1.2 Average Number of Ears per Stalk 00.45 05 1.0 0 1 Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=Moderate 4=Dark 4 4 5. LEAF: Standard Deviation Size Standard Deviation Size Deviation Deviation Size 08.1 cm Width of Ear Node Leaf Deviation Size 05 09.4 0 84.6 cm Length of Ear Node Leaf Deviation Size 05 87.0 0 06 Number of leaves above top ear Degrees Leaf Angle (measure from 2nd leaf above ear at anthesis to stalk above leaf) 05 05 05 05 06 0 03 Leaf Color (Munsell code) Stalk above leaf) 5GY44 03 03 05 03 05 03 05 03 05<	<u>0.01</u> <u>05</u>
1.2 Average Number of Ears per Stalk 1 Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=Moderate 4=Dark 5. LEAF: Standard Sample Deviation Size 08.1 cm Width of Ear Node Leaf 84.6 cm Length of Ear Node Leaf 06 Number of leaves above top ear 27 Degrees Leaf Angle (measure from 2nd leaf above ear at anthesis to stalk above leaf) 03 Leaf Color (Munsell code) 1.0 4 1.0 9	
1 Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=Moderate 4=Dark 5. LEAF: Standard Sample Deviation Size 08.1 cm Width of Ear Node Leaf 84.6 cm Length of Ear Node Leaf 06 Number of leaves above top ear 27 Degrees Leaf Angle (measure from 2nd leaf above ear at anthesis to stalk above leaf) 08 Leaf Color (Munsell code) 10 Leaf Sheath Pubescence (Rate on scale from 1=none to 9=like peach fuzz) 4 Marginal Waves (Rate on scale from 1=none to 9=many)	0.00 05
5. LEAF: Standard Sample Standard Sample Deviation Size 08.1 cm Width of Ear Node Leaf 00.63 05 09.4 0 84.6 cm Length of Ear Node Leaf 02.51 05 87.0 0 06 Number of leaves above top ear 00.97 05 06 0 32 Degrees Leaf Angle (measure from 2nd leaf above ear at anthesis to stalk above leaf) 05.90 05 35 2 03 Leaf Color (Munsell code) 5GY44 03 1 Leaf Sheath Pubescence (Rate on scale from 1=none to 9=like peach fuzz) 1 4 4 Marginal Waves (Rate on scale from 1=none to 9=many) 5	
Deviation Size Deviation 08.1 cm Width of Ear Node Leaf 00.63 05 09.4 0 84.6 cm Length of Ear Node Leaf 02.51 05 87.0 0 06 Number of leaves above top ear 00.97 05 06 0 32 Degrees Leaf Angle (measure from 2nd leaf above ear at anthesis to stalk above leaf) 05.90 05 35 35 35 03 Leaf Color (Munsell code) 5GY44 03 03 03 03 05	
08.1 cm Width of Ear Node Leaf 00.63 05 09.4 0 84.6 cm Length of Ear Node Leaf 02.51 05 87.0 9 06 Number of leaves above top ear 00.97 05 06 9 32 Degrees Leaf Angle (measure from 2nd leaf above ear at anthesis to stalk above leaf) 05.90 05 35 35 03 Leaf Color (Munsell code) 5GY44 03 1 Leaf Sheath Pubescence (Rate on scale from 1=none to 9=like peach fuzz) 1 4 Marginal Waves (Rate on scale from 1=none to 9=many) 5	ndard Samp
84.6 cm Length of Ear Node Leaf 06 Number of leaves above top ear Degrees Leaf Angle (measure from 2nd leaf above ear at anthesis to stalk above leaf) 08 Leaf Color (Munsell code) Leaf Sheath Pubescence (Rate on scale from 1=none to 9=like peach fuzz) Marginal Waves (Rate on scale from 1=none to 9=many)	iation Size
06 Number of leaves above top ear 00.97 05 06 0 32 Degrees Leaf Angle (measure from 2nd leaf above ear at anthesis to stalk above leaf) 05.90 05 35 35 03 Leaf Color (Munsell code) 5GY44 03 1 Leaf Sheath Pubescence (Rate on scale from 1=none to 9=like peach fuzz) 1 4 Marginal Waves (Rate on scale from 1=none to 9=many) 5	<u>0.71</u> <u>05</u>
32 Degrees Leaf Angle (measure from 2nd leaf above ear at anthesis to stalk above leaf) 05.90 05 35 35 23 Leaf Color (Munsell code) 5GY44 03 1 Leaf Sheath Pubescence (Rate on scale from 1=none to 9=like peach fuzz) 1 4 Marginal Waves (Rate on scale from 1=none to 9=many) 5	<u>6.30</u> <u>05</u>
at anthesis to stalk above leaf) 03 Leaf Color (Munsell code) 5GY44 03 1 Leaf Sheath Pubescence (Rate on scale from 1=none to 9=like peach fuzz) 1 4 Marginal Waves (Rate on scale from 1=none to 9=many) 5	<u>1.29</u> <u>05</u>
1 Leaf Sheath Pubescence (Rate on scale from 1=none to 9=like peach fuzz) 1 Marginal Waves (Rate on scale from 1=none to 9=many) 5	<u>5.59</u> <u>05</u>
4 Marginal Waves (Rate on scale from 1=none to 9=many) 5	<u>5GY34</u>
5 Longitudinal Creases (Rate on scale from 1=none to 9=many) 6	
6. TASSEL: Standard Sample Sta	ndard Samp
Deviation Size Dev	iation Size
<u>05</u> Number of Primary Lateral Branches <u>01.80</u> <u>05</u> <u>07</u> <u>0</u>	<u>0.48</u> <u>05</u>
24 Branch Angle from Central Spike 10.09 05 16 9	<u>6.20</u> <u>05</u>
62.2 cm Tassel Length (from top leaf collar to tassel tip) 03.85 05 55.9	<u>1.04</u> <u>05</u>
7 Pollen Shed (rate on scale from 0=male sterile to 9=heavy shed)	
14 Anther Color (Munsell code) 2.5R66 07	<u>5Y8.54</u>
01 Glume Color (Munseil code) 5GY58 01	<u>5GY56</u>
1 Bar Glumes (Glume Bands): 1=Absent 2=Present 1	
Application Variety Data Page 1 Standard V	

<u>-</u>	Variety Data PH1EM Page 2			Stand	lard Varie	ty Data
7a. EAR ((Unhusked Data):					
<u>01</u>	Silk Color (3 days after emergence) (Munsell code)		2.5GY88	<u>01</u>	<u>2.5G</u>	<u>Y94</u>
<u>02</u>	Fresh Husk Color (25 days after 50% silking) (Munsell code)		<u>5GY56</u>	01	<u>5G\</u>	<u> 78</u>
<u>21</u>	Dry Husk Color (65 days after 50% silking) (Munsell code)		10YR92	21	2.5Y	<u>8.54</u>
1	Position of Ear at Dry Husk Stage: 1= Upright 2= Horizontal	3= Pendant		2		
<u>7</u>	Husk Tightness (Rate of Scale from 1=very loose to 9=very t	ight)		Z		
<u>2</u>	Husk Extension (at harvest): 1=Short (ears exposed) 2=Med	ium (<8 cm)		3		
	3=Long (8-10 cm beyond ear tip) 4=Very Long (>10 cm)					
7b. EAR	(Husked Ear Data):	Standard	Sample	St	andard	Sample
		Deviation	Size	De	viation	Size
<u>17.0</u>	cm Ear Length	01.58	<u>05</u>	14.6	<u>00.55</u>	<u>05</u>
<u>41.6</u>	mm Ear Diameter at mid-point	00.89	<u>05</u>	46.2	01.64	<u>05</u>
<u>133.2</u>	gm Ear Weight	<u>20.14</u>	<u>05</u>	<u>126.2</u>	10.33	<u>05</u>
<u>13</u>	Number of Kernel Rows	<u>01.00</u>	<u>05</u>	<u>16.8</u>	00.84	<u>05</u>
<u>2</u>	Kernel Rows: 1=Indistinct 2=Distinct			2		
<u>2</u>	Row Alignment: 1=Straight 2=Slightly Curved 3=Spiral			1		
<u>09.4</u>	cm Shank Length	<u>01.34</u>	<u>05</u>	<u>10.4</u>	<u>03.13</u>	<u>05</u>
1	Ear Taper: 1=Slight 2= Average 3=Extreme			1		
. KERNE	EL (Dried)	Standard	Sample	Stand	dard	Sample
		Deviation	Size	Devia	ation	Size
<u>11.2</u>	mm Kernel Length	<u>00.45</u>	<u>05</u>	<u>11.2</u>	<u>00.45</u>	<u>05</u>
08.6	mm Kernel Width	<u>00.55</u>	<u>05</u>	07.4	00.55	<u>05</u>
<u>05.0</u>	mm Kernel Thickness	00.00	<u>05</u>	04.4	<u>00.55</u>	<u>05</u>
<u>29.2</u>	% Round Kernels (Shape Grade)	<u>06.30</u>	<u>05</u>	<u>18.4</u>	<u>04.34</u>	<u>05</u>
<u>1</u>	Aleurone Color Pattern: 1-Homozygous 2=Segregating			1		
<u>07</u>	Aluerone Color (Munsell code)	<u>1.2</u>	5 <u>Y812</u>	<u>07</u>	<u>2.5Y</u>	<u>812</u>
<u>07</u>	Hard Endosperm Color (Munsell code)	<u>1.:</u>	<u>25812</u>	<u>07</u>	<u>2.5Y</u>	<u>812</u>
<u>03</u>	Endosperm Type:		٨	<u>3</u>		
	1=Sweet (Su1) 2=Extra Sweet (sh2) 3=Normal Starch 4=High Amylose Starch 5=Waxy Starch 6=High Protein 7=High Lysine 8=Super Sweet (se) 9=High Oil 10=Other					
<u>31.6</u>	gm Weight per 100 Kernels (unsized sample)	<u>01.34</u>	<u>05</u>	26.20	02.95	<u>05</u>
COB:		Standard	Sample	5	tandard	Sample
		Deviation	Size		eviation	Size

23.6 mm Cob Diameter at mid-point

14 Cob Color (Munsell code)

<u>10R38</u>

00.55

<u>05</u>

<u>27.6</u> <u>01.14</u>

<u>14</u>

<u>05</u>

<u>10R48</u>

Application Variety Data

Page 3

Standard Variety Data

		_	
	RESISTANCE (Rate from 1 (most susceptible) to 9 (most resistant);		
leave blank	if not tested; leave Race or Strain Options blank if polygenic):		
A. Leaf E	Blights, Wilts, and Local Infection Diseases		
	Anthracnose Leaf Blight (Colletotrichum graminicola)		
<u>5</u>	Common Rust (Puccinia sorghi)	<u> 7</u>	
	Common Smut (Ustilago maydis)		
	Eyespot (Kabatiella zeae)		
	Goss's Wilt (Clavibacter michiganense spp. nebraskense)		
<u>4</u>	Gray Leaf Spot (Cercospora zeae-maydis)	<u>3</u>	•
	Helminthosporium Leaf Spot (Bipolaris zeicola) Race ———		
<u>4</u>	Northern Leaf Blight (Exserohilum turcicum) Race ——	4	
<u>6</u>	Southern Leaf Blight (Bipolaris maydis) Race ———	<u>3</u>	
<u>2</u>	Southern Rust (Puccinia polysora)	<u>3</u>	
4	Stewart's Wilt (Erwinia stewartii)	<u>3</u>	
	Other (Specify)		
B. Syster	nic Diseases		
	Corn Lethal Necrosis (MCMV and MDMV)		
9	Head Smut (Sphacelotheca reiliana)	<u>5</u>	
	Maize Chlorotic Dwarf Virus (MDV)	-	
	Maize Chlorotic Mottle Virus (MCMV)		
<u>3</u>	Maize Dwarf Mosaic Virus (MDMV)	<u>3</u>	
	Sorghum Downy Mildew of Corn (Peronosclerospora sorghi)		
	Other (Specify) ———		
C. Stalk F	Rots	i	
<u>4</u>	Anthracnose Stalk Rot (Colletotrichum graminicola)	<u>3</u>	
	Diplodia Stalk Rot (Stenocarpella maydis)		
	Fusarium Stalk Rot (Fusarium moniliforme)		
	Gibberella Stalk Rot (Gibberella zeae)		
	Other (Specify) ———		
D. Ear an	d Kernel Rots		
	Aspergillus Ear and Kernel Rot (Aspergillus flavus)		
<u>5</u>	Diplodia Ear Rot (Stenocarpella maydis)	<u>2</u>	•
<u>5</u>	Fusarium Ear and Kernel Rot (Fusarium moniliforme)	<u> </u>	
_	Gibberella Ear Rot (Gibberella zeae)	_	
	Other (Specify) ———		

PH1EM Application Variety Data Page 4 Standard Variety Data 11. INSECT RESISTANCE (Rate from 1 (most susceptible) to 9 (most resistant); (leave blank if not tested): Banks grass Mite (Oligonychus pratensis) Corn Worm (Helicoverpa zea) Leaf Feeding Silk Feeding mg larval wt. Ear Damage Corn Leaf Aphid (Rhopalosiphum maidis) Corn Sap Beetle (Carpophilus dimidiatus European Corn Borer (Ostrinia nubilalis) 3 1st Generation (Typically Whorl Leaf Feeding) <u>4</u> 2nd Generation (Typically Leaf Sheath-Collar Feeding) Stalk Tunneling cm tunneled/plant Fall Armyworm (Spodoptera frugiperda) Leaf Feeding Silk Feeding mg larval wt. Maize Weevil (Sitophilus zeamaize Northern Rootworm (Diabrotica barberi) Southern Rootworm (Diabrotica undecimpunctata) Southwestern Corn Borer (Diatreaea grandiosella) Leaf Feeding Stalk Tunneling cm tunneled/plant Two-spotted Spider Mite (Tetranychus urticae) Western Rootworm (Diabrotica virgifrea virgifera) Other (Specify) -12. AGRONOMIC TRAITS: Staygreen (at 65 days after anthesis) (Rate 2 on a scale from 1=worst to excellent) % Dropped Ears (at 65 days after anthesis) % Pre-anthesis Brittle Snapping % Pre-anthesis Root Lodging <u>2.0</u> Post-anthesis Root Lodging (at 65 days after anthesis) <u>2.0</u> 5,317.3 Kg/ha Yield of Inbred Per Se (at 12-13% grain moisture) 4,418.7 13. MOLECULAR MARKERS: (0=data unavailable; 1=data available but not supplied; 2=data supplied): 0 RAPD's 1 Isozymes 0 RFLP's COMMENTS (eg. state how heat units were calculated, standard inbred seed source, and/or where data was collected. Continue in Exhibit D):

Page 4

Application Variety Data

Standard Variety Data

CLARIFICATION OF DATA IN EXHIBITS B AND C

Please note the data presented in Exhibit C, "Objective Description of Variety," are collected primarily at Johnston, Iowa and Ankeny, Iowa. The data in Exhibit B are from comparisons of inbreds grown in the same tests in the adapted growing area of PH1EM and in Johnston, IA and Ankeny, IA. These traits collectively show distinct differences between the two varieties.



The data collected in exhibit C were collected in 1997 and 1998 for page 1 and 2. There are environmental factors that differ from year to year and environment to environment. The environments had different planting dates within each year. Environmental temperature and precipitation differences during the vegetative and grain fill periods can impact plant and grain traits and be a source of variability. These data are mostly based on 5 plants measured at each location. There often is more variability associated with year to year factors than from location to location or within locations. Please see Table 3 for average temperature and rainfall information in 1997 and 1998.

Table 3. Temperature and Rainfall

TEMPERATURE

YEAR	MAY	JUN	JULY	AUG	AVERAGE
1994	59.8	70.7	71.9	69.0	67.9
1995	56.2	69.4	74.3	76.9	69.2
1996	56.2	69.3	71.3	70.5	66.8
1997	53.5	70.6	74.1	69.6	67.0
1998	64.7	66.6	74.8	73.5	69.9
1999	60.7	69.7	78.7	70.5	69.9

RAINFALL

YEAR	MAY	JUN	JULY	AUG	Total
1994	3.67	5.75	1.71	4.18	15.31
1995	5.04	4.19	2.94	2.87	15.04
1996	8.47	4.35	2.51	2.14	17.47
1997	4.32	3.27	4.10	1.36	13.05
1998	6.46	11.07	5.70	4.96	28.19
1999	6.46	4.54	4.45	6.55	21.85

	U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE	The following statements are made in accompany (5 U. S. C. 552a) and the Paperwork	ordance with the Privacy Act of k Reduction Act (PRA) of 1995.			
	EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to determ certificate is to be issued (7 U.S.C. 2421). until certificate is issued (7 U.S.C. 2426).	nine if a plant variety protection			
1.	NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME			
	PIONEER HI-BRED INTERNATIONAL, INC.	OR EXPERIMENTAL NUMBER	PH1EM			
4	.ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (include area code)	6. FAX (include area code)			
	7301 NW 62 nd AVENUE	515-270-4051	515-253-2125			
	P.O.BOX 85	7. PVPO NUMBER				
	JOHNSTON, IA 50131-0085	99004	121			
8.	Does the applicant own all rights to the variety? Mark an "X" in appropriate blo	ck. If no, please explain: 🛛 YES	□NO			
9.	Is the applicant (individual or company) a U.S. national or U.S. based company	/? ☑ YES ☐ NO				
	If no, give name of country					
10.	Is the applicant the original owner?	lease answer <u>one</u> of the following:				
	a. If original rights to variety were owned by individual(s), is(are) the origin	nal owner(s) a U.S. national(s)?				
	☐ YES ☐ NO if no, give name of country					
	b. If original rights to variety were owned by a company(ies), is(are) the o	riginal owner(s) a U.S. based company?				
11.	Additional explanation on ownership (if needed, use reverse for extra space):					
	PH1EM is owned by Pioneer Hi-Bred International, Inc.					
PL	EASE NOTE:					
Pla	nt variety protection can be afforded only to owners (not licensees) who meet one of the	ne following criteria:				
1.	If the rights to the variety are owned by the original breeder, that person must be a Which affords similar protection to nationals of the U.S. for the same genus and spe		ountry, or national of a country			
2.	If the rights to the variety are owned by the company which employed the original becountry, or owned by national of a country which affords similar protection to nation					
3.	If the applicant is an owner who is not the original owner, both the original owner a	and the applicant must meet one of the above of	criteria.			
The	original breeder/owner may be the individual or company who directed final breeding	g. See section 41(a)(2) of the Plant Variety P	rotection Act for definition.			

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to compete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint, write Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD) USDA is an equal employment opportunity employer.